Designer Select PREMIUM OFFERINGS for PROJECTS of DISTINCTION





USA Owned. USA Made.

Product Index

Malibu		Capistrano			Boosted Capistrano		Bel Air		Double Eagle Bel Air		Golden Eagle		Ponderosa		Artisan		
Prod No.	Pg	Prod No.	Pg	Prod No.	Pg	Prod No.	Pg	Prod No.	Pg	Prod No.	Pg	Prod No.	Pg	Prod No.	Pg	Prod No.	Pg
2598	3	3560	4	SCC8807	5	overview	6	4598	8	4087	8	1687	10	5552	11	49717	12
		3578	4	SCC8825	5			4626	8	4097	8	1699	10	5794	11	49718	12
		3598	4	SCC8829	5			4794	8					SHP8706	6 11	49719	12
		3626	4	SCC8831	5			4800	8					SHP8707	' 11	49720	12
		3794	4	SHC8708	5			SCB8826	8							49721	12
				SHC8709	5			SCB8828	8							29706	13
				SHC8710	5											29707	13
				SHC8711	5											29708	13
				SMC8401	5											29709	13
				SMC8402	5											29710	13
				SMC8403	5											39706	13
				SMC8822	5											39707	13
																39708	13

39709 13 39710 13

Blended tile provides added value and beauty to any architectural structure. However, it requires careful tile placement by your roof contractor, who is responsible for insuring that the placement of the tile is completed in an aesthetically pleasing manner. Eagle Roofing Products recommends that you discuss this design effect with your roofer, prior to installation, to ensure that no hot spots (patches of color that undo the blended effect) are created.



- 88 Tiles per 100 sq ft with 3" headlap
- 903 Approx installed weight field tile per 100 sq ft





2598 Ocotilla										
Peachy Tan, Charcoal, Cream Streaks										
Ref	Emi	SRI	A.Ref	A.EMI	A.SRI	CRRC:	CRRC			
.25	.80	21	.27	.88	27	0918-0001	RATED			



Capistrano

88.5 *Tiles per 100 sq ft with 3" headlap*







3560 CalienteRed, Yellow StreaksRefEmiSRIA.RefA.EmiA.SRICRRC:.28.8828.27.90280918-0011



 3578
 Ramona

 Clay Red, Maroon Streaks

 Ref Emi SRI
 A.Ref A.EMI A.SRI
 CRRC:

 .15
 .93
 14
 .18
 .91
 17
 0918-0034



 3598
 Ocotilla

 Peachy Tan, Charcoal, Cream Streaks

 Ref
 Emi

 SRI
 A.Ref

 A.Ber
 A.SRI

 CRRC:
 .25

 .80
 21

 .27
 .88

 .25
 .27





3626 Rancho Cordova Blend Green, Gold, Purple Blend Ref Emi SRI A.Ref A.Emi A.SRI CRRC: .17 .93 17 .19 .91 18 0918-0040



3794 CoronadoTan, Charcoal, Cream StreaksLEED[†]Ref Emi SRI A.Ref A.Emi A.SRI CRRC:
.27 .94 30 .29 .88 30 0918-0016Image: Colspan="2">Image: CRRC:
Image: CRRC:
Image:

4

Capistrano



SCC 8807 Monterey Tan, Green, Terracotta, Taupe Blend Ref Emi SRI A.Ref A.EMI A.SRI CRRC: .17 .89 15 .20 .92 20 0918-0057



SCC 8831 Winslow Orange, Terracotta, Beige Brown Blend



 SCC 8825
 Corona Del Mar

 Dark Brown, Tan, Maroon, Brown Streaks Blend

 Ref
 Emi
 SRI
 CRRC:

 .14
 .90
 11
 .16
 14
 0918-0074



SCC 8829 Santa Fe Blend Orange, Maroon, Dark Brown, Terracotta Blend



SHC 8709 El Morado Blend Terracotta, Burgundy Blend Ref Emi SRI A.Ref A.SRI .17 .88 14 .18 15

CRRC: 0918-0076



 SHC 8710
 Ladera Blend

 Tan, Gray, Orange, Dark Brown Blend

 Ref
 Emi

 SRI
 A.Ref

 A.SRI
 CRRC:

 .18
 .89

 16
 .19

 .92
 19
 0918-0052



SMC 8402Santa CruzTan, Reddish Brown, Brown BlendRefEmiSRIA.RefA.RefA.SRICRRC:.14.8911.17.92160918-0058



CRRC:

0918-0075

SHC 8708 Del Oro Blend

Ref Emi SRI A.Ref A.SRI

.14 .90 11 .16

Terracotta, Gold, Tan, Brown Blend

14

 SHC 8711
 Puesta Del Sol Blend

 Tan, Orange Red, Dark Brown Blend

 Ref Emi SRI A.Ref A.SRI
 CRRC:

 .18
 .89
 16
 .19
 17
 0918-0080





SMC 8403 Santa Barbara Blend Light, Dark Terracotta, Mauve, Dark Beige Blend Ref Emi SRI A.Ref A.EMI A.SRI CRRC: .16 .89 13 .18 .93 18 0918-0056



SMC 8401 San Miguel Blend Dark Chocolate Brown, Taupe, Rosy Brown Blend



SMC 8822 San Buenaventura Clay Red Ref Emi SRI A.Ref A.SRI .24 .87 23 .23 21

CRRC:

Boosted Accessory Pieces

It's easy to create the beauty of an authentic mortar-boosted clay roof with our Boosted accessory piece. These individual Boosted pieces are available in a wide range of colors intended to create a rustic look. Simply select from any of our Boosted colors to complement your Capistrano and Malibu tiles. For best results, mix your Boosted color and base color as this will add to the authenticity of your roof.

Choose a Boosted accessory piece to go with your base field tile. Then decide how much "Boost" to use and how you would like your mortar to look. Some prefer a neat treatment, while others like an authentic look. No matter your choice, your new Boosted Eagle roof will be beautiful for years to come.

% used on roof	Approx installed weight field tile per 100 sq ft					
10% Application	990					
20% Application	1080	Each Boosted piece weighs approximately 4.8 lbs.				
30% Application	1170					





Boosting The Eave



Placing The Mortar



Close-Up of Boosted Eave



Boosted Wind Clips Included (Bronze & Stainless Steel)





20% Boost



30% Boost

Bel Air & Double Eagle Bel Air

- 88.5 Tiles per 100 sq ft with 3" headlap
- 970 Approx installed weight field tile per 100 sq ft





4598 Ocotilla Peachy Tan, Charcoal, Cream Streaks Ref Emi SRI A.Ref A.EMI A.SRI CRRC: .25 .80 21 .27 .88 27 0918-0001



4800 White on White – Color Bonded* White on White Ref Emi SRI A.Ref A.Emi A.SRI CRRC: .79 .91 99 .71 .91 88 0918-0007



4626 Rancho Cordova Blend Green, Gold, Purple Blend Ref Emi SRI A.Ref A.Emi A.SRI CRRC: .17 .93 17 .19 .91 18 0918-0040



SCB 8826 Augusta Grayish Brown, Tan, Maroon Blend



 4087
 Brown Gray Range

 Brown, Gray Range
 Ref Emi SRI
 A.Ref A.EMI A.SRI
 CRRC:

 .15
 .91
 13
 .16
 .92
 15
 0918-0028



4794 CoronadoTan, Charcoal, Cream StreaksLEED†Ref Emi SRI A.Ref A.Emi A.SRICRRC:Image: CRRC:.27.9430.29.88300918-0016



SCB 8828 Bridgeport Grays, Taupe, Brown, Black Streaks Blend



 4097
 Slate Range

 Charcoal Range
 Ref Emi SRI A.Ref A.EMI A.SRI
 CRRC:

 .15
 .94
 15
 .17
 .92
 16
 0918-0046

Double Eagle Bel Air >

8



Golden Eagle

- 88.5 Tiles per 100 sq ft with 3" headlap
- 970 Approx installed weight field tile per 100 sq ft





 1687
 Brown Gray Range

 Brown, Gray Range
 Ref Emi SRI A.Ref A.EMI A.SRI
 CRRC:

 .15
 .91
 13
 .16
 .92
 15
 0918-0028



 1699
 Charcoal Range

 Gray Range
 Ref

 Ref
 Emi

 SRI
 A.Ref

 A.Int
 A.SRI

 CRRC:
 .15

 .94
 15

 .17
 .92

 16
 0918-0046





- Tiles per 100 sq ft 88.5 with 3" headlap
- 970 Approx installed weight field tile per 100 sq ft





5552 Canyon Gray									
Fawn Gray, Purple, Gray Streaks									
Ref Emi SRI A.Ref A.SRI	CRRC:								
.13 .90 10 .15 13	0918-0073								



5794 Coronado										
Tan,	Tan, Charcoal, Cream Streaks									
Ref	Emi	SRI	A.Ref	A.Emi	A.SRI	CRRC: 0918-0016	and l			
.27	.94	30	.29	.88	30	0918-0016	RATED	ENEREN STAR FARTNER		



SHP 8706 Cascade Blend Tan, Dark Brown Blend Ref Emi SRI A.Ref A.SRI .14 .90 11 .16 14

CRRC: 0918-0064



SHP 8707 Sierra Blend Tan, Dark Brown, Reddish Brown Blend Ref Emi SRI A.Ref A.SRI CRRC: .14 .90 11 .16 14 0918-0070



The Artisan Collection–Featuring Tapered Slate



49717 Nottingham Gray, Burgundy, Black, Green Flashed



49717 Nottingham (Staggered*) Gray, Burgundy, Black, Green Flashed

Projects of distinction require roof tiles that make an impression. Eagle's Artisan Collection utilizes our exclusive Color Pressed Technology to create vibrant hues and unique color transitions not typical in standard roof tiles. The Artisan Collection ranges from distinctive Old World Mediterranean and Southwestern blends in both the Capistrano and Bel Air profiles to rich traditional slate tones found in our new Artisan Tapered Slate Series (this page).



49718 Catskill Moss Green, Dark Green, Green, White Flashed



49718 Catskill (Staggered*) Moss Green, Dark Green, Green, White Flashed



49719 Wales Gray, Burgundy, Copper, Gray Flashed



49719 Wales (Staggered*) Gray, Burgundy, Copper, Gray Flashed



49720 Graystone Gray, Yellow, Copper, Black Flashed



49720 Graystone (Staggered*) Gray, Yellow, Copper, Black Flashed



49721 Brownstone Mocha Tan, Brown, Gray, Green Flashed



49721 Brownstone (Staggered*) Mocha Tan, Brown, Gray, Green Flashed

Artisan Capistrano







39707 Sabino Canyon Purple, Cream, Dark Brown Streaks Ref Emi SRI A.Ref A.SRI CRRC: .19 .89 17 .19 0918.0082 17



39708 Cimarron Canyon Tan, Cream, Dark Brown Streaks



39709 Glenn Canyon Dark Brown, White, Cream, Black Streaks



39710 Sedona Canyon Red, White, Black Streaks





29706 Grand Canyon Terracotta, Cream, Brown Streaks Ref Emi SRI A.Ref A.SRI 0918.0077 .32 .87 33 .28 28



CRRC:



29707 Sabino Canyon Purple, Cream, Dark Brown Streaks Ref Emi SRI A.Ref A.SRI CRRC: .19 .89 17 .19 0918.0082 17





29710 Sedona Canyon Red, White, Black Streaks



29708 Cimarron Canyon Tan, Cream, Dark Brown Streaks



29709 Glenn Canyon Dark Brown, White, Cream, Black Streaks

Save Money With Eagle's Energy Saving Roof

Your roof can do more than just beautify the structure that it protects. Keep your home or building cooler in the summer, while reducing your energy costs, by installing an Eagle Energy Saving Roof.

Reduce Heat Transfer. See The Savings Add Up.

According to an Oak Ridge National Laboratory study, there is:

- A 48% reduction in heat transfer into the attic with tile roofs installed using an above sheathing ventilation system, like the Eagle Energy Saving Roof, when compared to a direct nailed asphalt shingle roof.
- A 22% savings* per year on heating and cooling costs in a typical single family house compared to an asphalt shingle roof.

An Eagle Energy Saving Roof can reduce heat transfer into the attic by almost 50%, which means less work for the air conditioner, less expenditure of energy and lower electrical bills for the end user.

Gain More Efficiency With Eagle.

Eagle's concrete tile is highly insulating and is offered in a wide array of reflective colors, which helps prevent much of the sun's heat from penetrating the building below. Install our tiles utilizing several of our components, and you will have a very energy efficient roof.

Key Energy Saving Roof Components are:



Ventilated Bird Stop/Eave Closures

The Ventilated Bird Stop creates an air current that draws cool air in at the eave level. It also elevates the first course of tile to the proper height for an overall finished look and prevents bird nesting. Available in all profiles.

Scalloped Battens

Eagle's Scalloped Battens are essential when installing an Eagle Energy Saving Roof as it enables air to flow underneath the roof between the tile and the deck. It also allows water to drain via the scallop cuts, keeping moisture from accumulating on your roof deck, which can damage your underlayment.



FlexSeal This is a non-vented hip and ridge sealer. *FlexVent* Adds ventilation at the ridge of your roof. *FlexFlash* Used in wall flashing detail and hip application.



Ridge Riser Elevates the nailing board for proper ventilation.

Consider an Eagle Energy Saving Roof for your reroof or new construction project. Ask your contractor for a quote or for more information, visit www.eagleroofing.com.



Visit an Eagle Design Center

A beautiful roof is one of the most important architectural elements of a home or building, so why not visit an Eagle Design Center, where you can see our huge selection of colors, textures, styles and products? Whether you need tile samples, design consultation, technical specifications, installation guides or more, our knowledgeable professionals are here to support you every step of the way.



Call Today To Schedule Your Free Consulation!

Southwest Design Centers



Eagle is proud to be affiliated with these organizations:



Phoenix 4608 W. Elwood Phoenix, AZ 85043 Phone: 602-346-1749



Corporate Offices

3546 N. Riverside Ave. Rialto, CA 92377 Phone: 909-822-6000

www.eagleroofing.com

Connect with us!



© 2013 Eagle Roofing Products 5/2013