
Technical Specifications





Standard Weight & Lightweight Availability Varies By Region: Please refer to your respective regional brochure, or visit eagleroofing.com/browse-tile to view profiles & weights within your selected region.



Technical Specifications





Standard Weight & Lightweight Availability Varies By Region: Please refer to your respective regional brochure, or visit eagleroofing.com/browse-tile to view profiles & weights within your selected region.





Eagle Roofing Products Concrete Roof Tile Technical Specifications






Standard Weight & Lightweight Availability Varies By Region: Please refer to your respective regional brochure, or visit eagleroofing.com/browse-tile to view profiles & weights within your selected region.








Boosted Capistrano Approx. weight per piece





Standard 4.8

Design Centers

Southern California—Irvine p: 949-553-8333 f: 949-553-9556

Southern California—Rialto p: 800-400-3245 f: 909-822-5940

Northern California

p: 916-789-4555 f: 916-789-8746

Southwest p: 602-346-1749

f: 602-447-0674 Florida

p: 407-691-7100 f: 407-691-5117

Manufacturing and Stocking Yards

Southern California Phone: 800-300-3245

Fax: 909-854-7181

Northern California Phone: 800-998-3245 Fax: 209-234-4366

Southwest

Phone: 800-346-5260 Fax: 602-442-8841

Florida Phone: 877-300-3245 Fax: 877-300-3248

South Florida

Phone: 877-300-3245



Corporate Offices

3546 N. Riverside Ave. Rialto, CA 92377 Phone: 909-822-6000

www.eagleroofing.com

© 2018 Eagle Roofing Products. 3/2018