

# *Complete Offering* *Northwest*



Golden Eagle Staggered  
1699 Charcoal Range

*USA Owned. USA Made.*





Ponderosa  
5594 Charcoal



# SIMPLE. *elegant*. SOLUTIONS.

from a company you can trust



## Eagle is Curb Appeal and Infinite Choices

- Choose from an extensive collection of profiles, textures and dimensions
- Vast color offering in standard integral, ranges and multi-color blends
- Flat tiles offer a crisp, clean appearance for Modern, Colonial, Craftsman, French Provincial and Tudor architecture
- High profile Barrel tiles are beautiful and timeless, ideal for Mediterranean architecture
- Medium profile tiles complement Modern architectural designs, in addition to large commercial or residential buildings
- Concrete tile is the ideal alternative to slate, wood, stone coated metal, and asphalt roofing materials
- Tile roofs enhance curb appeal and maintain the value of the structure over time

## Eagle is Peace of Mind

- USA Owned. USA Made.
- Best warranty in the industry
- Our tile is tested to the highest standards in the industry for fire, high-wind and freeze-thaw protection\*
- Our customer service, sales and technical departments are here for you before, during and after the sale
- Our products are affordable and environmentally friendly

\*Excludes color bonded/slurry tiles.



Bel Air  
4602 Concord Blend







# Flat Profiles

*Limitless options without compromise, Eagle's Flat Tile profiles offer graceful beauty, rugged strength and enhanced curb appeal. Available in a vast array of colors from warm earth tones and cool grays to refreshing natural hues ranging from green to eggplant—its crisp appearance complements both traditional and modern architecture. Depending on the look you are after, our Flat Tiles can emulate the texture and style of natural materials such as wood shake, clay and slate – and are a more affordable alternative. See for yourself.*

*Concrete roof tile never looked so good.*





Bel Air, Staggered  
4697 Slate Range




# Bel Air

PER 100  
SQ FT


**88.5** Tiles (3" headlap)  
**970** Pounds (approx.)

*Sometimes, the beauty is in the simplicity of the design. The Bel Air profile is a flat, smooth tile that offers clean lines and versatility to use on a variety of different architectural styles. Plus, it allows you to go heavier on other exterior elements such as pavers, stonework and landscaping, all of which will dramatically complement your Bel Air concrete tile roof. The choices are endless!*



**4502 Arcadia Canyon Brown** - Hues of Dark Brown, Black Streaks

**T24** Ref: .13 Emi: .94 SRI: 12 A.SRI: **16** CRRC: 0918-0043



**4503 Sierra Madre** - Hues of Charcoal, Black Streaks

**T24** Ref: .11 Emi: .92 SRI: 9 A.SRI: **12** CRRC: 0918-0111



**4530 Weathered Adobe** - Hues of Tan, Rust Streaks

**T24** Ref: .23 Emi: .92 SRI: 24 A.SRI: **27** CRRC: 0918-0017



**4549 Santa Paula** - Hues of Tan, Cream, Brown Streaks

**T24** Ref: .20 Emi: .89 SRI: 18 A.SRI: **18** CRRC: 0918-0049




A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. \*Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles. Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.



Bel Air



Bel Air, Staggered  
4634 Kings Canyon Blend



4591 Dark Gray Range - Range of Dark Gray



4595 Dark Charcoal - Hues of Dark Charcoal, Black Streaks



4602 Concord Blend - Blend of Charcoal, Tan  
**T24** Ref: .15 Emi: .92 SRI: 14 A.SRI: 15 CRRC: 0918-0107



4634 Kings Canyon Blend - Blend of Dark Green, Tan, Red and Black Streaks  
**T24** Ref: .13 Emi: .94 SRI: 12 A.SRI: 16 CRRC: 0918-0044





**4645 Sunrise Blend** - Blend of Terracotta, Brown  
**T24** Ref: .18 Emi: .93 SRI: 18 A.SRI: **22** CRRC: 0918-0030




**4646 Sunset Blend** - Blend of Medium Terracotta, Brown  
**T24** Ref: .16 Emi: .94 SRI: 16 A.SRI: **17** CRRC: 0918-0042



**4679 Light Gray Range** - Range of Light Gray  
**T24** Ref: .21 Emi: .93 SRI: 22 A.SRI: **21** CRRC: 0918-0004



**4684 San Rafael Blend** - Blend of Purple, Tan  
**T24** Ref: .16 Emi: .91 SRI: 14 A.SRI: **18** CRRC: 0918-0068



**4687 Brown Gray Range** - Range of Brown, Gray  
**T24** Ref: .15 Emi: .91 SRI: 13 A.SRI: 15 CRRC: 0918-0028



**4689 Brown Range** - Range of Brown  
**T24** Ref: .15 Emi: .92 SRI: 14 A.SRI: **17** CRRC: 0918-0026



**4690 Pewter Bronze Blend** - Blend of Pewter Gray, Gold  
**T24** Ref: .17 Emi: .91 SRI: 16 A.SRI: **16** CRRC: 0918-0060



**4697 Slate Range** - Range of Charcoal  
**T24** Ref: .15 Emi: .94 SRI: 15 A.SRI: **16** CRRC: 0918-0046







**4698 Kona Red Range** - Range of Red  
**T24** Ref: .25    Emi: .83    SRI: 22    A.SRI: 28    CRRC: 0918-0018



**4743 Cocoa Range** - Range of Dark Brown  
**T24** Ref: .12    Emi: .91    SRI: 9    A.SRI: 12    CRRC: 0918-0106



**4773 Walnut Creek Blend** - Blend of Tan, Orange, Dark Brown  
**T24** Ref: .20    Emi: .94    SRI: 21    A.SRI: 23    CRRC: 0918-0037



**4804 Rocklin Blend** - Blend of Brown, Light Brown, Mocha  
**T24** Ref: .18    Emi: .94    SRI: 18    A.SRI: 22    CRRC: 0918-0101



**4880 Shasta Blend** - Blend of Brown, Natural Gray, Tan, w/Streaks  
**T24** Ref: .20    Emi: .94    SRI: 21    A.SRI: 23    CRRC: 0918-0088



**4882 Manteca Blend** - Blend of Maroon, Brown, Mocha  
**T24** Ref: .18    Emi: .94    SRI: 18    A.SRI: 21    CRRC: 0918-0099



**4883 Hillsborough Blend** - Blend of Brown, Natural Gray, Light Brown, w/streaks  
**T24** Ref: .17    Emi: .94    SRI: 17    A.SRI: 20    CRRC: 0918-0098




**4884 Alameda Range** - Range of Brown, Natural Gray  
**T24** Ref: .16    Emi: .94    SRI: 16    A.SRI: 18    CRRC: 0918-0095







**47646 Desert Clay Blend** - Blend of Medium Terracotta, Light Brown  
**T24** Ref: .16 Emi: .94 SRI: 16 A.SRI: 17 CRRC: 0918-0042



**SCB 8802 Nantucket Blend** - Blend of Gray, Tan, Brown  
**T24** Ref: .14 Emi: .88 SRI: 10 A.SRI: 15 CRRC: 0918-0065



**SCB 8805 Seattle Blend** - Blend of Green, Taupe, Gray  
**T24** Ref: .15 Emi: .94 SRI: 15 A.SRI: 15 CRRC: 0918-0036



**SCB 8827 Tacoma Blend** - Blend of Brown, Gray, Taupe  
**T24** Ref: .15 Emi: .92 SRI: 14 A.SRI: 17 CRRC: 0918-0047



**Bel Air**  
**4697 Slate Range**





Estate, Staggered  
SHE 8704 Lehigh Blend




# Estate

PER 100  
SQ FT

**88.5** Tiles (3" headlap)  
**970** Pounds (approx.)

*If you like the simplicity of the Bel Air profile but are looking to add a little more dimension to your roof, then the Estate profile is the ideal choice. Fine coarse lines and a more defined edge provides texture and nuanced beauty to your outdoor space, perfectly complementing any architectural style – both residential and commercial.*




**SHE 8704 Lehigh Blend** - Blend of Natural Gray, Light Gray, Charcoal

**T24** Ref: .15 Emi: .94 SRI: 15 A.SRI: **16** CRRC: 0918-0046



**SHE 8715 Roanoke Blend** - Blend of Light Gray, Dark Gray, Gold, Taupe

**T24** Ref: .17 Emi: .89 SRI: 15 A.SRI: **19** CRRC: 0918-0081



**SHE 8773 Walnut Creek Blend** - Blend of Tan, Orange, Dark Brown

**T24** Ref: .20 Emi: .94 SRI: 21 A.SRI: **23** CRRC: 0918-0037



A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. \*Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles. Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.





Double Eagle Bel Air  
4097 Slate Range




# Double Eagle Bel Air

PER 100  
SQ FT

**88.5** Tiles (3" headlap)  
**970** Pounds (approx.)

The Double Eagle Bel Air profile has a smooth surface coupled with a split tile appearance that adds the right amount of subtle differentiation and dimension to a classic look. The best part? It's perfect for any residential or commercial project.



**4087 Brown Gray Range** - Range of Brown, Gray

**T24** Ref: .15 Emi: .91 SRI: 13 A.SRI: 15 CRRC: 0918-0028



**4097 Slate Range** - Range of Gray

**T24** Ref: .15 Emi: .94 SRI: 15 A.SRI: **16** CRRC: 0918-0046







Golden Eagle  
1634 Kings Canyon Blend





# Golden Eagle

PER 100  
SQ FT

**88.5** Tiles (3" headlap)  
**970** Pounds (approx.)

*Emulating an upgraded wood shake look, the Golden Eagle profile combines a smooth, flat surface with a partial broom swept texture that immediately grabs your attention. This type of texture allows you to create an intriguing design that welcomes many different styles from French Provincial to Cozy Cottage and even a Coastal home. This profile is available in deeper shades of charcoal, chocolate, and green which will definitely make a home more inviting!*



**1530 Weathered Adobe** - Hues of Tan, Rust Streaks

**T24** Ref: .23 Emi: .92 SRI: 24 A.SRI: **27** CRRC: 0918-0017




**1634 Kings Canyon Blend** - Blend of Dark Green, Tan, Red and Black Streaks

**T24** Ref: .13 Emi: .94 SRI: 12 A.SRI: **16** CRRC: 0918-0044



**1687 Brown Gray Range** - Range of Brown, Gray

**T24** Ref: .15 Emi: .91 SRI: 13 A.SRI: 15 CRRC: 0918-0028



**1699 Charcoal Range** - Range of Gray

**T24** Ref: .15 Emi: .94 SRI: 15 A.SRI: **16** CRRC: 0918-0046



A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. \*Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles. Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.





Ponderosa, Staggered  
5699 Charcoal Range







## Ponderosa

PER 100  
SQ FT

**88.5** Tiles (3" headlap)  
**970** Pounds (approx.)

*A more durable and affordable alternative to natural wood shake, our Ponderosa tile has beautifully textured shadow lines that graze its surface to deliver a truly rustic wood appearance. If you are seeking remarkable curb appeal, a Ponderosa roof will complement many architectural styles including Prairie, Craftsman and Bungalow, to name a few.*




**5502 Arcadia Canyon Brown** - Hues of Dark Brown, Black Streaks

**T24** Ref: .13 Emi: .94 SRI: 12 A.SRI: **16** CRRC: 0918-0043



**5503 Sierra Madre** - Hues of Charcoal, Black Streaks

**T24** Ref: .11 Emi: .92 SRI: 9 A.SRI: **12** CRRC: 0918-0111



**5504 New Cedar** - Hues of Tan, Brown Streaks

**T24** Ref: .15 Emi: .92 SRI: 14 A.SRI: **12** CRRC: 0918-0110



**5530 Weathered Adobe** - Hues of Tan, Rust Streaks

**T24** Ref: .23 Emi: .92 SRI: 24 A.SRI: **27** CRRC: 0918-0017



A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. \*Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles. Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.



# Ponderosa



**5532 Weathered Terracotta** - Hues of Terracotta, Gold Flashed  
**T24** Ref: .24 Emi: .88 SRI: 23 A.SRI: **26** CRRC: 0918-0014



**5552 Canyon Gray** - Hues of Fawn Gray, Purple, Gray Streaks  
**T24** Ref: .13 Emi: .90 SRI: 10 A.SRI: 14 CRRC: 0918-0073



**5557 Live Oak** - Hues of Rosy Brown, Dark Brown Streaks  
**T24** Ref: .18 Emi: .90 SRI: 16 A.SRI: **17** CRRC: 0918-0061



**5594 Charcoal** - Dark Charcoal




**5602 Concord Blend** - Blend of Charcoal, Tan  
**T24** Ref: .15 Emi: .92 SRI: 14 A.SRI: **15** CRRC: 0918-0107



**5634 Kings Canyon Blend** - Blend of Dark Green, Tan, Red and Black Streaks  
**T24** Ref: .13 Emi: .94 SRI: 12 A.SRI: **16** CRRC: 0918-0044



**5645 Sunrise Blend** - Blend of Terracotta, Brown  
**T24** Ref: .18 Emi: .93 SRI: 18 A.SRI: **22** CRRC: 0918-0030



**5687 Brown Gray Range** - Range of Brown, Gray  
**T24** Ref: .15 Emi: .91 SRI: 13 A.SRI: 15 CRRC: 0918-0028





Ponderosa, Staggered  
5602 Concord Blend






Ponderosa



**5689 Brown Range** - Range of Brown  
**T24** Ref: .15 Emi: .92 SRI: 14 A.SRI: 17 CRRC: 0918-0026



**5698 Kona Red Range** - Range of Red  
**T24** Ref: .25 Emi: .83 SRI: 22 A.SRI: 28 CRRC: 0918-0018




**5699 Charcoal Range** - Range of Gray  
**T24** Ref: .15 Emi: .94 SRI: 15 A.SRI: 16 CRRC: 0918-0046




**5808 Tombstone Blend** - Blend of Pewter Gray, Bronze, Tan w/Streaks  
**T24** Ref: .17 Emi: .95 SRI: 18 A.SRI: 20 CRRC: 0918-0097






**5809 Lomita Range** - Range of Light Brown, Medium Brown, Maroon

**T24** Ref: .15 Emi: .95 SRI: 15 A.SRI: 18 CRRC: 0918-0093




**5810 Avondale Blend** - Hues of Brown, Gray, Natural Gray w/Streaks

**T24** Ref: .13 Emi: .95 SRI: 13 A.SRI: 15 CRRC: 0918-0094




**SCP 8802 Nantucket Blend** - Blend of Gray, Tan, Brown

**T24** Ref: .14 Emi: .88 SRI: 10 A.SRI: 15 CRRC: 0918-0065




**SCP 8803 Arlington Blend** - Blend of Gray, Tan, Taupe, Dark Brown

**T24** Ref: .13 Emi: .89 SRI: 10 A.SRI: 15 CRRC: 0918-0071




**SCP 8804 Hershey Blend** - Blend of Reddish Brown, Taupe, Dark Brown

**T24** Ref: .12 Emi: .89 SRI: 8 A.SRI: 12 CRRC: 0918-0078




**SCP 8805 Seattle Blend** - Blend of Green, Taupe, Gray

**T24** Ref: .15 Emi: .94 SRI: 15 A.SRI: 15 CRRC: 0918-0036



**SHP 8706 Cascade Blend** - Blend of Tan, Dark Brown

**T24** Ref: .14 Emi: .90 SRI: 11 A.SRI: 15 CRRC: 0918-0064



**SHP 8707 Sierra Blend** - Blend of Tan, Dark Brown, Reddish Brown

**T24** Ref: .14 Emi: .90 SRI: 11 A.SRI: 15 CRRC: 0918-0070







Double Eagle Ponderosa  
5087 Brown Gray Range




# Double Eagle Ponderosa

PER 100  
SQ FT

**88.5** Tiles (3" headlap)  
**970** Pounds (approx.)

*If you are seeking the aesthetics of hand split cedar shake, then Double Eagle Ponderosa is for you! This tile will create a dramatic, classic look that will enhance the appearance of any residential or commercial property while providing you with the durability, sustainability and beauty you desire.*



**5087 Brown Gray Range** - Range of Brown, Gray

**T24** Ref: .15 Emi: .91 SRI: 13 A.SRI: 15 CRRC: 0918-0028



**5099 Charcoal Range** - Range of Gray

**T24** Ref: .15 Emi: .94 SRI: 15 A.SRI: **16** CRRC: 0918-0046







*This is an inspirational slate photo. Eagle's products in the next few pages will emulate the luxurious nature of slate at a more affordable price.*





# Slate *Inspiration*


*Around for centuries, slate is a beautiful roofing material that has been used on some of the world's greatest buildings. However, the weight and expense of slate has made it an unattainable commodity for many—until now. Eagle Roofing Products has created a distinguished, gorgeous collection that has been inspired by the oldest roofing product on earth. Emulating the look, feel and longevity of natural slate, our Tapered Slate and Textured Slate lines provide contrast and character to your residential or commercial roof in ways that appear subtle, yet distinctive.*

*Quality craftsmanship and architectural prestige, at a fraction of the cost of real or synthetic slate; that's what you can expect from our Slate Inspired collection.*






**Tapered Slate**  
49655 Mount Dora Blend



**49718 Catskill** - Hues of Moss Green, Dark Green, Green, and White Streaks

**T24** Ref: .29 Emi: .91 SRI: 31 A.SRI: **31** CRRC: 0918-0103



**NEW**

**49581 Arcadia Canyon Brown** - Hues of Dark Brown, Black Streaks

**T24** Ref: .13 Emi: .94 SRI: 12 A.SRI: **16** CRRC: 0918-0043







# TAPERED SLATE


PER 100  
SQ FT

**88.5** Tiles (3" headlap)  
**970** Pounds (approx.)

*Tapered Slate tile features a beautiful smooth texture, beveled sides and an aggressive chamfered edge treatment that highlights the inherent beauty of traditional slate. Colors range from a variety of timeless earth tones, producing a natural blend of varying depths for a brilliant roof that you will be proud of.*



**49595 Dark Charcoal** - Hues of Dark Charcoal, Black Streaks



**49602 Concord Blend** - Blend of Charcoal, Tan

**T24** Ref: .15 Emi: .92 SRI: 14 A.SRI: **15** CRRC: 0918-0107



**49634 Kings Canyon Blend** - Blend of Dark Green, Tan, Red and Black Streaks

**T24** Ref: .13 Emi: .94 SRI: 12 A.SRI: **16** CRRC: 0918-0044



**49655 Mount Dora Blend** - Blend of Gray, White, Black Streaks

**T24** Ref: .17 Emi: .93 SRI: 17 A.SRI: **18** CRRC: 0918-0109



A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of **16** or greater. \*Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles. Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.





Textured Slate  
49105 Windermere Blend



**49103 Amesbury Blend** - Blend of Medium Gray, Dark Gray, Maroon



**49101 Chatham Blend** - Blend of Tan, Brown




# Textured SLATE

PER 100  
SQ FT

**88.5** Tiles (3" headlap)  
**970** Pounds (approx.)



*Textured Slate tile embodies an exquisite texture, beveled sides and a beautiful edge treatment that adds artful elegance to both modern and classic design styles. Rich colors and its alluring style makes Textured Slate a stunning enhancement to your residential or commercial project.*



**NEW**



**49102 Heathrow Blend** - Blend of Greens

**NEW**



**49104 Providence Blend** - Blend of Light Gray, Medium Gray, Maroon

**NEW**



**49106 Plymouth Blend** - Blend of Grays

**NEW**



**49105 Windermere Blend** - Blend of Dark Brown, Charcoal





Estate Staggered  
SHE 8715 Roanoke Blend




# Staggered Installation

*Installing flat tile with a staggered exposure is an easy way to give a home an “Old World” look. While staggered exposure tiles are a natural fit for architectural styles like English Cottage and French Country, this unique look can breathe new life into homes of many varied styles.*

**It is vitally important that the professional roofing contractor plans the entire roof layout prior to installing tiles, taking into consideration the weight and waste.** Approximately half of the tiles on a staggered roof will have a shorter exposure than the other half. It will be essential to calculate the additional tiles required to create a unique staggered exposure roof prior to ordering product. Whether installing a staggered exposure tile roof with battens or without, it is imperative to make proper measurements when preparing the roof for installation. The first course at the eave will be installed normally with a standard exposure. The staggered exposure begins at the second course.


If battens are utilized, the staggered exposure is achieved by installing partial battens (no greater than 12" in length) immediately above the primary course battens beginning on the second course (as seen in upper inset illustration). The tiles with the shorter exposure will hang on the higher partial batten (see image). If a direct-to-deck application is utilized (no battens), a second set of chalk lines will be marked at each course, one line for the normal exposure and one for the staggered exposure tiles. This is based on a 1" stagger.

**One more consideration is the water channel at the left side of the tile.** The bottom of the water channel will be visible. Leaving this portion of the water channel exposed can detract from the desired look of the staggered roof, especially on steeper roof pitches where a majority of the face of each tile will be visible. If desired, exposed channel can be removed using a saw and/or tile nippers (as seen in lower inset illustration).



*In the end, you can rest assured that flat tile with a staggered exposure will create an overall beautiful, unique look to your project.*

*Please note that although aesthetically stunning, staggered installations are extremely complicated and may cause layout and waterproofing complications. Your Roofing Contractor is ultimately responsible for the planning and proper installation of the tile.*







Capistrano  
SCC 8830 Albuquerque Blend





# S-Profiles

*Inspiration that will move you... Eagle's high and medium barrel shaped profiles exude rich colors, unmatched aesthetics and timeless elegance. Whether you are looking to emulate the authentic look of Spanish tile in the Old World or wish for a more contemporary style while mirroring the Mediterranean appearance found in the roofscapes of Italy, France and Greece; you can rest assured that your curb appeal will be the envy of everyone in your neighborhood.*





Capistrano  
3636 Piedmont Blend





# Capistrano

PER 100  
SQ FT


**88.5** Tiles (3" headlap)  
**900** Pounds (approx.)

*A high S-profile tile, our Capistrano is semi-cylindrical and is the most traditionally recognized of all tile profiles. While you may think a Capistrano tile roof is suitable for only Spanish or Italian architecture, it actually offers stunning good looks that work well with any style, as it pairs nicely with stucco, stone or brick siding. It is used widely on residential, commercial, military and institutional buildings throughout the United States.*



**3520 Weathered Terracotta Flashed** - Hues of Light Terracotta, Black, Red Streaks

**T24** Ref: .19 Emi: .93 SRI: 19 A.SRI: **20** CRRC: 0918-0038



**3522 Terracotta Flashed** - Hues of Terracotta, Black Streaks

**T24** Ref: .19 Emi: .93 SRI: 19 A.SRI: **21** CRRC: 0918-0033



**3526 Valencia** - Hues of Red Orange, Brown Streaks

**T24** Ref: .19 Emi: .89 SRI: 17 A.SRI: **20** CRRC: 0918-0053



**3530 Weathered Adobe** - Hues of Tan, Rust Streaks

**T24** Ref: .23 Emi: .92 SRI: 24 A.SRI: **27** CRRC: 0918-0017



A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. \*Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles. Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.



# Capistrano



**3532 Weathered Terracotta** - Hues of Terracotta, Gold Flashed  
**T24** Ref: .24 Emi: .88 SRI: 23 A.SRI: **26** CRRC: 0918-0014



**3549 Santa Paula** - Hues of Tan, Cream, Brown Streaks  
**T24** Ref: .20 Emi: .89 SRI: 18 A.SRI: **18** CRRC: 0918-0049



**3581 Arcadia Canyon Brown** - Hues of Dark Brown, Black Streaks  
**T24** Ref: .13 Emi: .94 SRI: 12 A.SRI: **16** CRRC: 0918-0043



**3615 Weathered Terracotta Range** - Range of Terracotta  
**T24** Ref: .23 Emi: .87 SRI: 21 A.SRI: **24** CRRC: 0918-0015



**3628 Knoxville Blend** - Blend of Gray, Red, Terracotta, Light Brown, Black Streaking  
**T24** Ref: .20 Emi: .93 SRI: 20 A.SRI: **23** CRRC: 0918-0100



**3634 Kings Canyon Blend** - Blend of Dark Green, Tan, Red and Black Streaks  
**T24** Ref: .13 Emi: .94 SRI: 12 A.SRI: **16** CRRC: 0918-0044



**3636 Piedmont Blend** - Blend of Terracotta, Maroon, Brown  
**T24** Ref: .18 Emi: .90 SRI: 16 A.SRI: **20** CRRC: 0918-0066



**3645 Sunrise Blend** - Blend of Terracotta, Brown  
**T24** Ref: .18 Emi: .93 SRI: 18 A.SRI: **22** CRRC: 0918-0030







**3646 Sunset Blend** - Blend of Medium Terracotta, Brown  
**T24** Ref: .16 Emi: .94 SRI: 16 A.SRI: **17** CRRC: 0918-0042



**3684 San Rafael Blend** - Blend of Purple, Tan  
**T24** Ref: .16 Emi: .91 SRI: 14 A.SRI: **18** CRRC: 0918-0068



**Capistrano**  
**3581 Arcadia Canyon Brown**



# Capistrano



**3687 Brown Gray Range** - Range of Brown, Gray  
**T24** Ref: .15 Emi: .91 SRI: 13 A.SRI: 15 CRRC: 0918-0028



**3689 Brown Range** - Range of Brown  
**T24** Ref: .15 Emi: .92 SRI: 14 A.SRI: 17 CRRC: 0918-0026



**3697 Slate Range** - Range of Charcoal  
**T24** Ref: .15 Emi: .94 SRI: 15 A.SRI: 16 CRRC: 0918-0046



**3698 Kona Red Range** - Range of Red  
**T24** Ref: .25 Emi: .83 SRI: 22 A.SRI: 28 CRRC: 0918-0018




**Capistrano**  
**3723 Adobe Blend**





**3723 Adobe Blend** - Blends of Maroon, Terracotta, Gray, Gold

**T24** Ref: .17 Emi: .92 SRI: 16 A.SRI: **16** CRRC: 0918-0045




**3743 Cocoa Range** - Range of Dark Brown

**T24** Ref: .12 Emi: .91 SRI: 9 A.SRI: **12** CRRC: 0918-0106




**3773 Walnut Creek Blend** - Blend of Tan, Orange, Dark Brown

**T24** Ref: .20 Emi: .94 SRI: 21 A.SRI: **23** CRRC: 0918-0037




**3816 San Ramon Range** - Range of Dark Brown, Tan, Terracotta, Light Terracotta

**T24** Ref: .19 Emi: .94 SRI: 20 A.SRI: **23** CRRC: 0918-0091



**SHC 8708 Del Oro Blend** - Blend of Terracotta, Gold, Tan, Brown

**T24** Ref: .14 Emi: .90 SRI: 11 A.SRI: **16** CRRC: 0918-0075



**SMC 8401 San Miguel Blend** - Blend of Dark Chocolate Brown, Taupe, Rosy Brown



**SMC 8402 Santa Cruz Blend** - Blend of Tan, Reddish Brown, Brown

**T24** Ref: .14 Emi: .89 SRI: 11 A.SRI: **16** CRRC: 0918-0058



**SMC 8822 San Buenaventura** - Hues of Clay Red

**T24** Ref: .24 Emi: .87 SRI: 23 A.SRI: **24** CRRC: 0918-0067





Malibu  
2526 Valencia







# Malibu

PER 100  
SQ FT

**88** Tiles (3" headlap)  
**903** Pounds (approx.)

*Malibu tile has gentle curves, which adds visual interest and striking effects, easily complementing modern architectural designs and large buildings. It's particularly effective on distinctive homes, apartments, hotels, places of worship and commercial structures. It's the best of both worlds, where Mediterranean meets Contemporary.*



**2520 Weathered Terracotta Flashed** - Hues of Light Terracotta, Black, Red Streaks

**T24** Ref: .19 Emi: .93 SRI: 19 A.SRI: **20** CRRC: 0918-0038



**2522 Terracotta Flashed** - Hues of Terracotta, Black Streaks

**T24** Ref: .19 Emi: .93 SRI: 19 A.SRI: **21** CRRC: 0918-0033



**2526 Valencia** - Hues of Red Orange, Brown Streaks

**T24** Ref: .19 Emi: .89 SRI: 17 A.SRI: **20** CRRC: 0918-0053



**2530 Weathered Adobe** - Hues of Tan, Rust Streaks

**T24** Ref: .23 Emi: .92 SRI: 24 A.SRI: **27** CRRC: 0918-0017



A.SRI actual: #. A.SRI calculated: #. Yellow highlighted calculation indicates an A.SRI of 16 or greater. \*Color bonded/slurry tiles not recommended in locales subject to repeated freeze-thaw cycles. Notice: To ensure your satisfaction with your tile choice, we request you obtain a current tile sample; or request addresses in your area from your local Design Center/Eagle Representative.





Malibu  
2581 Arcadia Canyon Brown



2549 Santa Paula - Hues of Tan, Cream, Brown Streaks  
**T24** Ref: .20 Emi: .89 SRI: 18 A.SRI: 18 CRRC: 0918-0049



2581 Arcadia Canyon Brown - Hues of Dark Brown, Black Streaks  
**T24** Ref: .13 Emi: .94 SRI: 12 A.SRI: 16 CRRC: 0918-0043



2606 Vallejo Range - Range of Dark Purple  
**T24** Ref: .15 Emi: .92 SRI: 14 A.SRI: 17 CRRC: 0918-0048



2615 Weathered Terracotta Range - Range of Terracotta  
**T24** Ref: .23 Emi: .87 SRI: 21 A.SRI: 24 CRRC: 0918-0015







**2634 Kings Canyon Blend** - Blend of Dark Green, Tan, Red and Black Streaks  
**T24** Ref: .13 Emi: .94 SRI: 12 A.SRI: **16** CRRC: 0918-0044



**2636 Piedmont Blend** - Blend of Terracotta, Maroon, Brown  
**T24** Ref: .18 Emi: .90 SRI: 16 A.SRI: **20** CRRC: 0918-0066



**2645 Sunrise Blend** - Blend of Terracotta, Brown  
**T24** Ref: .18 Emi: .93 SRI: 18 A.SRI: **22** CRRC: 0918-0030



**2646 Sunset Blend** - Blend of Medium Terracotta, Brown  
**T24** Ref: .16 Emi: .94 SRI: 16 A.SRI: **17** CRRC: 0918-0042





# Malibu



**2680 Los Padres Blend** - Blend of Terracotta, Tan, Gray  
**T24** Ref: .24 Emi: .91 SRI: 25 A.SRI: **25** CRRC: 0918-0013



**2684 San Rafael Blend** - Blend of Purple, Tan  
**T24** Ref: .16 Emi: .91 SRI: 14 A.SRI: **18** CRRC: 0918-0068



**2687 Brown Gray Range** - Range of Brown, Gray  
**T24** Ref: .15 Emi: .91 SRI: 13 A.SRI: 15 CRRC: 0918-0028



**2689 Brown Range** - Range of Brown  
**T24** Ref: .15 Emi: .92 SRI: 14 A.SRI: **17** CRRC: 0918-0026



**2697 Slate Range** - Range of Charcoal  
**T24** Ref: .15 Emi: .94 SRI: 15 A.SRI: **16** CRRC: 0918-0046



**2698 Kona Red Range** - Range of Red  
**T24** Ref: .25 Emi: .83 SRI: 22 A.SRI: **28** CRRC: 0918-0018



**2723 Adobe Blend** - Blend of Maroon, Terracotta, Gray, Gold  
**T24** Ref: .17 Emi: .92 SRI: 16 A.SRI: **16** CRRC: 0918-0045



**2743 Cocoa Range** - Range of Dark Brown  
**T24** Ref: .12 Emi: .91 SRI: 9 A.SRI: 12 CRRC: 0918-0106







**2773 Walnut Creek Blend** - Blend of Tan, Orange, Dark Brown  
**T24** Ref: .20 Emi: .94 SRI: 21 A.SRI: **23** CRRC: 0918-0037





Capistrano  
3773 Walnut Creek Blend







# Why Eagle Roofing Products and Concrete Roof Tile

*Eagle Roofing Products is the largest, USA owned concrete roof tile manufacturer in the United States. For over 25 years, we have excelled in providing our customers with durable, energy efficient and environmentally friendly concrete roof tiles that are beautiful and timeless.*



# Eagle Roofing Products

*Whether you are building a new home or re-roofing your existing one, your home deserves the best roof possible. When you choose Eagle concrete tile, you'll get a roof that is aesthetically stunning, durable and sustainable.*



Founded over 25 years ago by Robert Burlingame, Eagle began operations in the fall of 1989 with one high-pressure concrete tile extrusion machine. Today, Eagle's Rialto, California facility is the largest in North America. In addition to Rialto, we operate facilities in Phoenix, Arizona as well as Stockton, California and Sumterville, Florida meeting the demand for concrete roof tile across the United States and Canada.



Our expertise, coupled with our extensive array of profiles and colors, enables us to provide our customers with high quality concrete roofing products that are beautiful, long-lasting and environmentally friendly.

Eagle's long experience in the roof tile industry and dedication to prompt personal response to its customers' needs have resulted in a well-deserved reputation for quality and service—a reputation that is unmatched.

*Eagle is customer service.*



# Unsurpassed Beauty, Strength and Longevity

When you choose a concrete tile roof from Eagle Roofing Products, you are choosing years of protection and peace of mind. Our tile is tested to the highest standards of the industry. A properly installed Eagle Tile Roof will withstand the elements through rain, snow, high wind and scorching heat – outperforming all other roofing products, while remaining aesthetically stunning.



**Fire Tested** – Eagle Roof Tile is a Class A roof covering that will protect your home and personal property.



**High Wind Tested** – Installed correctly, Eagle Roof Tile can survive the strongest storms and harshest weather. Eagle tile is tested and approved

for use in the Miami Dade high velocity hurricane zone, withstanding sustained winds of up to 180mph.




**Hail/Impact Tested\*** – Concrete roof tile stands up to hail, as well as or better than, any other roofing product. Some insurance companies offer discounted premiums for houses with tile roofs because of its impact resistance. *\*Arizona and Florida manufactured tiles only.*



**\*Freeze Thaw Protection** – Eagle Roof Tile passes Freeze-Thaw requirements. *\*Excludes color bonded/slurry tiles.*

## Roofing material lifespan over 75 years.\*





# Tile Roofing Is Simply The Superior Choice

New Construction • Reroof • Residential • Commercial



**Tile.** Sustainable, aesthetically superior protection.



**Asphalt Shingle.** Temporary, basic roof covering.

## HOW DOES TILE COMPARE TO ASPHALT SHINGLES?

- Real tile roofs are no longer only “round and red”. Tile roofs are available in a variety of profiles and colors.
- Tile roofs are produced from ALL natural products - concrete or clay.
  - Tile roofs are not plastic, resin, rubber or metal.
  - Tile roofs do not warp, rust or bend.
- Tile roofs are heavier than asphalt shingles. Weight equates to longevity, thermal superiority, weather, impact resistance and much more.
- Tile roofs invite extreme weather conditions, while asphalt shingle manufacturers base their sales projections on how many of their roofs will need replacing every year.
  - Tile can withstand sustained winds of up to 180mph\*
  - Class A Roof Covering Assembly
  - Freeze-Thaw (Excludes color bonded/slurry tiles)
- Asphalt shingles are not distinctive.
- Asphalt shingles are not environmentally friendly, as they are a petroleum based product and fill landfills.
- Asphalt shingles do not perform well in hail storms. Roofers swarm neighborhoods subjected to the slightest hail storm.
- Synthetics and plastic products lack a proven track record as a long-lasting and durable roofing product.
- Asphalt shingles are easily damaged by high winds, especially after they age, dry out, lose granules and crack.
- Shingles are not resistant to extreme temperature variations, lending to cracking and loss of color, as they are dependent on granules that are temporarily adhered to the shingle.









O'HAGIN VENT

RIDGE

VALLEY

PIPE FLASHING

COURSE

SIDEWALL

HEADWALL

EAVE



# The Anatomy of a Tile Roof

*Whether you are building a new home or re-roofing an existing home or commercial building, a new roof is a significant investment. Our goal here at Eagle is to not only educate you on concrete roof tile, but also give you a brief overview of the different parts that make up a roof, so you can talk knowledgeably to your contractor or builder and get your project off on the right foot.*

**O'Hagin Vents:** Generally installed near the top ridgeline of the roof, exhaust vents are designed to allow warm air to escape the attic area of the home, helping to conserve energy within the living space.

**Course:** Each row of tile is called a course.

**Rake:** The outer sloped edge of a roofline.

**Sidewall:** The inner edge of the roof where the tile meets a vertical wall.

**Headwall:** The top edge of the roof where the tile meets a vertical wall.

**Ridge:** The top-most edge of a roof where two opposing slopes meet.

**Hip:** The sloping ridge of a roof where two perpendicular slopes meet.

**Valley:** The internal sloping angle of a roof where two perpendicular slopes meet.

**Eave:** Outer edge of the roof downslope.

**Pipe Flashing:** Metal sleeve and skirt that covers a pipe and its roof opening.

*Still have questions? Don't hesitate to reach out to one of our friendly and knowledgeable Eagle Account Representatives. Find your Rep. by visiting: [www.eagleroofing.com](http://www.eagleroofing.com)*

HIP

RAKE



# Manufacturing Facilities Servicing

**Every customer is different. Every project is different. We understand.**

Whether you are an Architect, Builder, Designer, Distributor, Roofer or Homeowner, with four manufacturing plants servicing the United States and Canada, our customers can rest assured that we have the right products to meet their needs. Quality products and customer relationships are the core of our business. That's what inspires us to be your company of choice. That's what makes us different.





# the United States and Canada







The color represented in this inspirational photo may not be available in your area. Similar palettes, available in your region, may be suggested as an alternative by your local Eagle Account Representative.





# Committed to your Trust and Satisfaction

## Approvals

IAPMO ER #1900

## Specifying Eagle

Every effort has been made to provide you with the tools you need to specify Eagle on your next residential or commercial project. You can find these tools on our website at [www.eagleroofing.com](http://www.eagleroofing.com) under the main tab Resources – Design Professionals.

## Installation

Eagle recommends that you find a licensed and insured Roofer for all of your roofing needs. Detailed installation recommendations can be found in the *Concrete and Clay Roof Tile Installation Manual (July 2015)* published by the Tile Roofing Institute & Western States Roofing Contractor Association. For further information, please visit: [www.tilerroofing.org](http://www.tilerroofing.org)

## Blended Tile

Blended tile provides added value and beauty to any architectural structure. However, it requires careful placement by your Roofing Contractor, who is responsible for ensuring that the placement of the tile is completed in an aesthetically pleasing manner. Eagle Roofing Products recommends that you discuss this design effect with your Roofer, prior to installation, to ensure that no hot spots (patches of color that undo the blended effect) are created.

## Warranty

As the largest USA Owned, USA Made concrete roof tile manufacturer, Eagle Roofing Products proudly stands behind its products with a Lifetime Transferable Limited Product Warranty. We recommend that all customers read our warranty for details and conditions, which can be found at [www.eagleroofing.com](http://www.eagleroofing.com).

## Disclaimer

Eagle Roofing Products concrete roof tile is made from natural materials and color variations are to be expected. Every effort has been made to ensure the colors in this brochure are as close to the actual roof tile; however, photographic and printing techniques can alter the printed colors shown, varying it from actual tile colors. In addition, colors are subject to change, as slight variations in color or flashing may occur during manufacturing. To ensure your satisfaction with the tile you chose from this brochure, we strongly recommend that you obtain a free tile sample from your Roofing Contractor, an Eagle Design Center or an Eagle Account Representative before placing your order.



# Eagle Design Centers & Manufacturing Facilities Servicing the United States and Canada

Whether you are an Architect, Builder, Designer, Distributor, Roofer or Homeowner, with four manufacturing plants servicing the United States and Canada, our customers can rest assured that we can provide the highest quality roofing materials and components to meet their needs. Durable, sustainable products and lasting customer relationships are the core of our business. That's what inspires us to be your company of choice. *That's what makes us different.*



## Nearest Eagle Design Center

**Free Email and Phone  
Consultations Available**

### Northern California

#### *Granite Bay*

7095 Douglas Blvd., Ste. K  
Granite Bay, CA 95746  
Phone: 916-789-4555

## Manufacturing & Stocking Yards

**Servicing Oregon, Washington, Idaho,  
Montana and Alaska**

### Northern California

#### *Stockton*

4555 South McKinley Avenue  
Stockton, CA 95206  
Phone: 1-800-998-3245

### Washington

#### *Arlington*

19201 63rd Ave NE  
Arlington, WA 98223  
Phone: 1-800-998-3245



### Corporate Offices

3546 N. Riverside Ave.  
Rialto, CA 92377  
Phone: 909-822-6000

[www.eagleroofing.com](http://www.eagleroofing.com)

Eagle is proud to be affiliated with these organizations:



Connect with us!

