



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING & INVESTIGATIONS DIVISION
BUILDING MATERIALS LISTING PROGRAM**

LISTING SERVICE

LISTING No.:	8180-2305:0504
CATEGORY:	8180 - NON-WOOD ROOF COVERING/ASSEMBLIES FOR WILDLAND URBAN INTERFACE (W.U.I)
LISTEE:	Polyglass USA, Inc. 1111 W. Newport Center Drive, Deerfield Beach, FL, 33442 Contact: Ayala, Patricia 813-263-3544 Email: payala@polyglass.com
DESIGN:	<p>PolyAnchor XFR and *Eagle Anchor XFR mechanically fastened reinforced modified bitumen anchor membrane underlayment. *Assemblies can be installed with minimum 26-gauge galvanized steel roof valley flashing complying with the requirements in the 2022 California Building Code, Section 705A.3. Refer to listee's data sheet for additional detailed product description and operational considerations. Approved systems:</p> <p>Class A:</p> <p>Deck: C-15/32 or spaced sheathing</p> <p>Incline: 2:12 Minimum Slope</p> <p>Underlayment: One ply Polyanchor XFR, or *Eagle Anchor XFR installed per manufacturer's installation instructions.</p> <p>Surfacing: Any ASTM C1492 compliant Class A Concrete Roof tile or any ASTM C1167 compliant Class A Clay Roof tile may be used when installed in accordance with the roof tile manufacturer's installation instructions.</p>
RATING:	Class A
INSTALLATION:	In accordance with listee's printed installation instructions, applicable codes and ordinances, and in a manner acceptable to the authority having jurisdiction.
MARKING:	Listee's name, model number, rating, and UL label.
APPROVAL:	Listed as Class A roof covering assembly as described under "Design" for use in the Wildland Urban Interface areas. Refer to listee's Installation Instruction Manual for details. Model complies with the applicable requirements in UL 790, 9th Edition.
NOTES:	

11-13-25 MH

*Revised



**CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING & INVESTIGATIONS DIVISION
BUILDING MATERIALS LISTING PROGRAM**

LISTING SERVICE



This listing is based upon technical data submitted by the applicant. OSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: 11/14/2025

Listing Expires: 06/30/2026

Authorized By: **Michael Huang**, Program Coordinator
Fire Engineering & Investigations Division